

SAT MATH FORMULAS

SAT MATH FORMULAS ARE THE BEDROCK OF SUCCESS ON THE SAT MATHEMATICS SECTION. MASTERING THESE ESSENTIAL EQUATIONS AND CONCEPTS IS NOT JUST ABOUT MEMORIZATION; IT'S ABOUT UNDERSTANDING THEIR APPLICATION AND KNOWING WHEN AND HOW TO DEPLOY THEM TO SOLVE A WIDE ARRAY OF PROBLEMS. THIS COMPREHENSIVE GUIDE DELVES INTO THE CRITICAL SAT MATH FORMULAS YOU ABSOLUTELY NEED TO KNOW, COVERING EVERYTHING FROM BASIC ALGEBRA TO GEOMETRY AND DATA ANALYSIS. WE'LL BREAK DOWN THESE FORMULAS INTO DIGESTIBLE SECTIONS, EXPLAINING THEIR PURPOSE AND PROVIDING CONTEXT FOR THEIR USE. WHETHER YOU'RE TACKLING LINEAR EQUATIONS, QUADRATIC FUNCTIONS, OR TRIGONOMETRIC IDENTITIES, HAVING THESE TOOLS READILY ACCESSIBLE IN YOUR MATHEMATICAL ARSENAL WILL SIGNIFICANTLY BOOST YOUR CONFIDENCE AND PERFORMANCE. LET'S EMBARK ON A JOURNEY TO CONQUER THE QUANTITATIVE CHALLENGES THE SAT PRESENTS.

TABLE OF CONTENTS

ALGEBRAIC FORMULAS

GEOMETRY FORMULAS

DATA ANALYSIS AND PROBABILITY FORMULAS

TRIGONOMETRY FORMULAS

ESSENTIAL ALGEBRA FORMULAS FOR THE SAT MATH SECTION

THE ALGEBRA SECTION OF THE SAT MATH TEST IS DESIGNED TO ASSESS YOUR PROFICIENCY IN MANIPULATING EXPRESSIONS, SOLVING EQUATIONS AND INEQUALITIES, AND UNDERSTANDING FUNCTIONS. A SOLID GRASP OF FUNDAMENTAL ALGEBRAIC FORMULAS IS PARAMOUNT. THESE FORMULAS ARE NOT ABSTRACT CONCEPTS; THEY ARE PRACTICAL TOOLS THAT HELP YOU UNRAVEL COMPLEX PROBLEMS EFFICIENTLY. YOU'LL ENCOUNTER PROBLEMS THAT REQUIRE YOU TO SOLVE FOR VARIABLES, UNDERSTAND THE RELATIONSHIPS BETWEEN DIFFERENT ALGEBRAIC EXPRESSIONS, AND INTERPRET GRAPHICAL REPRESENTATIONS OF FUNCTIONS.

LINEAR EQUATIONS AND INEQUALITIES

LINEAR EQUATIONS ARE THE MOST FUNDAMENTAL TYPE YOU'LL ENCOUNTER. THE SLOPE-INTERCEPT FORM OF A LINEAR EQUATION, $y = mx + b$, IS INCREDIBLY USEFUL. HERE, m REPRESENTS THE SLOPE OF THE LINE, AND b IS THE Y-INTERCEPT. UNDERSTANDING THIS FORM ALLOWS YOU TO QUICKLY IDENTIFY THE STEEPNESS AND POSITION OF A LINE ON A GRAPH. YOU'LL ALSO NEED TO BE COMFORTABLE WITH SOLVING LINEAR EQUATIONS AND INEQUALITIES FOR A SINGLE VARIABLE. REMEMBER THAT WHEN MULTIPLYING OR DIVIDING AN INEQUALITY BY A NEGATIVE NUMBER, YOU MUST REVERSE THE INEQUALITY SIGN. THE POINT-SLOPE FORM, $y - y_1 = m(x - x_1)$, IS ANOTHER HANDY FORMULA, ESPECIALLY WHEN YOU'RE GIVEN A POINT AND THE SLOPE OF A LINE AND NEED TO FIND ITS EQUATION.

QUADRATIC EQUATIONS AND FUNCTIONS

QUADRATIC EQUATIONS, TYPICALLY IN THE FORM $ax^2 + bx + c = 0$, APPEAR FREQUENTLY. THE QUADRATIC FORMULA, $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$, IS YOUR GO-TO SOLUTION FOR FINDING THE ROOTS (OR X-INTERCEPTS) OF ANY QUADRATIC EQUATION. THIS FORMULA GUARANTEES YOU CAN FIND THE SOLUTIONS, EVEN WHEN FACTORING ISN'T STRAIGHTFORWARD. UNDERSTANDING THE DISCRIMINANT, $b^2 - 4ac$, IS ALSO CRUCIAL. ITS VALUE TELLS YOU THE NATURE OF THE ROOTS: IF IT'S POSITIVE, THERE ARE TWO DISTINCT REAL ROOTS; IF IT'S ZERO, THERE'S EXACTLY ONE REAL ROOT (A REPEATED ROOT); AND IF IT'S NEGATIVE, THERE ARE NO REAL ROOTS (TWO COMPLEX ROOTS). THE VERTEX FORM OF A QUADRATIC FUNCTION, $y = a(x-h)^2 + k$, REVEALS THE COORDINATES OF THE VERTEX (h, k) , WHICH IS THE MINIMUM OR MAXIMUM POINT OF THE PARABOLA.

EXPONENTIAL GROWTH AND DECAY

EXPONENTIAL FUNCTIONS MODEL SITUATIONS WHERE A QUANTITY INCREASES OR DECREASES AT A RATE PROPORTIONAL TO ITS CURRENT VALUE. THE GENERAL FORM IS $A(t) = A_0(1+r)^t$ FOR GROWTH, AND $A(t) = A_0(1-r)^t$ FOR DECAY. HERE, $A(t)$ IS THE AMOUNT AFTER TIME t , A_0 IS THE INITIAL AMOUNT, AND r IS THE RATE OF GROWTH OR DECAY. UNDERSTANDING THE BASE OF THE EXPONENT IS KEY TO INTERPRETING HOW QUICKLY THE QUANTITY CHANGES.

MASTERING SAT GEOMETRY FORMULAS

GEOMETRY ON THE SAT MATH TEST PROBES YOUR UNDERSTANDING OF SHAPES, SPATIAL RELATIONSHIPS, AND MEASUREMENT. BEING PROFICIENT WITH GEOMETRIC FORMULAS ALLOWS YOU TO CALCULATE LENGTHS, AREAS, VOLUMES, AND ANGLES, WHICH ARE ESSENTIAL FOR SOLVING MANY PROBLEMS. THE VISUAL NATURE OF GEOMETRY CAN SOMETIMES BE INTIMIDATING, BUT WITH THE RIGHT FORMULAS AND A CLEAR APPROACH, YOU CAN NAVIGATE THESE CHALLENGES WITH EASE.

AREA AND PERIMETER OF BASIC SHAPES

YOU'LL NEED TO KNOW THE FORMULAS FOR THE AREA AND PERIMETER OF COMMON SHAPES. FOR A RECTANGLE WITH LENGTH L AND WIDTH W , THE AREA IS $A = LW$ AND THE PERIMETER IS $P = 2L + 2W$. FOR A SQUARE WITH SIDE LENGTH s , THE AREA IS $A = s^2$ AND THE PERIMETER IS $P = 4s$. THE AREA OF A TRIANGLE WITH BASE b AND HEIGHT h IS $A = \frac{1}{2}bh$. FOR A CIRCLE WITH RADIUS r , THE AREA IS $A = \pi r^2$ AND THE CIRCUMFERENCE (PERIMETER) IS $C = 2\pi r$.

VOLUME AND SURFACE AREA OF 3D SHAPES

WHEN DEALING WITH THREE-DIMENSIONAL FIGURES, YOU'LL ENCOUNTER VOLUME AND SURFACE AREA CALCULATIONS. THE VOLUME OF A RECTANGULAR PRISM WITH LENGTH L , WIDTH W , AND HEIGHT H IS $V = LWH$. FOR A CYLINDER WITH RADIUS r AND HEIGHT h , THE VOLUME IS $V = \pi r^2 h$. THE SURFACE AREA OF A RECTANGULAR PRISM IS $SA = 2LW + 2LH + 2WH$. THE SURFACE AREA OF A CYLINDER IS $SA = 2\pi r^2 + 2\pi rh$.

THE PYTHAGOREAN THEOREM

THE PYTHAGOREAN THEOREM, $a^2 + b^2 = c^2$, IS A FUNDAMENTAL CONCEPT FOR RIGHT TRIANGLES. IT STATES THAT THE SQUARE OF THE HYPOTENUSE (THE SIDE OPPOSITE THE RIGHT ANGLE, c) IS EQUAL TO THE SUM OF THE SQUARES OF THE OTHER TWO SIDES (a AND b). THIS THEOREM IS CRUCIAL FOR FINDING MISSING SIDE LENGTHS IN RIGHT TRIANGLES AND HAS NUMEROUS APPLICATIONS IN COORDINATE GEOMETRY AND TRIGONOMETRY.

PROPERTIES OF CIRCLES

BEYOND BASIC AREA AND CIRCUMFERENCE, YOU'LL NEED TO UNDERSTAND CONCEPTS LIKE ARC LENGTH AND SECTOR AREA. THE ARC LENGTH OF A SECTOR WITH CENTRAL ANGLE θ (IN RADIANS) AND RADIUS r IS $s = r\theta$. THE AREA OF A SECTOR WITH CENTRAL ANGLE θ (IN RADIANS) AND RADIUS r IS $A = \frac{1}{2}r^2\theta$. REMEMBER THAT A FULL CIRCLE IS 2π RADIANS OR 360 DEGREES.

LEVERAGING DATA ANALYSIS AND PROBABILITY FORMULAS

THE SAT MATH TEST ALSO ASSESSES YOUR ABILITY TO INTERPRET DATA, UNDERSTAND STATISTICAL CONCEPTS, AND CALCULATE PROBABILITIES. THESE SKILLS ARE VITAL FOR MAKING SENSE OF THE WORLD AROUND YOU, WHERE DATA IS ABUNDANT. FAMILIARIZING YOURSELF WITH THESE FORMULAS WILL EQUIP YOU TO ANALYZE CHARTS, GRAPHS, AND DATASETS EFFECTIVELY.

MEASURES OF CENTRAL TENDENCY

YOU'LL FREQUENTLY ENCOUNTER MEASURES OF CENTRAL TENDENCY, WHICH DESCRIBE THE TYPICAL VALUE IN A DATASET. THE MEAN (AVERAGE) IS CALCULATED BY SUMMING ALL VALUES AND DIVIDING BY THE NUMBER OF VALUES. THE MEDIAN IS THE MIDDLE VALUE IN A SORTED DATASET. IF THERE'S AN EVEN NUMBER OF VALUES, IT'S THE AVERAGE OF THE TWO MIDDLE VALUES. THE MODE IS THE VALUE THAT APPEARS MOST FREQUENTLY IN THE DATASET.

MEASURES OF SPREAD

UNDERSTANDING HOW DATA IS SPREAD OUT IS JUST AS IMPORTANT AS KNOWING ITS CENTER. THE RANGE IS THE DIFFERENCE BETWEEN THE HIGHEST AND LOWEST VALUES. STANDARD DEVIATION IS A MORE SOPHISTICATED MEASURE THAT QUANTIFIES THE AMOUNT OF VARIATION OR DISPERSION OF A SET OF VALUES. A LOW STANDARD DEVIATION INDICATES THAT THE VALUES TEND TO BE CLOSE TO THE MEAN, WHILE A HIGH STANDARD DEVIATION INDICATES THAT THE VALUES ARE SPREAD OUT OVER A WIDER RANGE.

PROBABILITY CALCULATIONS

PROBABILITY MEASURES THE LIKELIHOOD OF AN EVENT OCCURRING. THE BASIC FORMULA FOR PROBABILITY IS $P(E) = \frac{\text{NUMBER OF FAVORABLE OUTCOMES}}{\text{TOTAL NUMBER OF POSSIBLE OUTCOMES}}$. FOR INDEPENDENT EVENTS, THE PROBABILITY OF BOTH OCCURRING IS THE PRODUCT OF THEIR INDIVIDUAL PROBABILITIES: $P(A \text{ AND } B) = P(A) \times P(B)$. FOR MUTUALLY EXCLUSIVE EVENTS, THE PROBABILITY OF EITHER OCCURRING IS THE SUM OF THEIR INDIVIDUAL PROBABILITIES: $P(A \text{ OR } B) = P(A) + P(B)$.

COMBINATIONS AND PERMUTATIONS

THESE CONCEPTS HELP YOU COUNT THE NUMBER OF WAYS TO ARRANGE OR SELECT ITEMS FROM A SET. PERMUTATIONS ARE USED WHEN THE ORDER OF SELECTION MATTERS. THE FORMULA FOR PERMUTATIONS OF n ITEMS TAKEN r AT A TIME IS $P(n, r) = \frac{n!}{(n-r)!}$. COMBINATIONS ARE USED WHEN THE ORDER OF SELECTION DOES NOT MATTER. THE FORMULA FOR COMBINATIONS OF n ITEMS TAKEN r AT A TIME IS $C(n, r) = \frac{n!}{r!(n-r)!}$.

EXPLORING SAT TRIGONOMETRY FORMULAS

TRIGONOMETRY ON THE SAT MATH TEST TYPICALLY FOCUSES ON BASIC RIGHT-TRIANGLE TRIGONOMETRY AND PROPERTIES OF TRIGONOMETRIC FUNCTIONS. WHILE IT MIGHT SEEM ADVANCED, THE QUESTIONS USUALLY REVOLVE AROUND A CORE SET OF FORMULAS THAT ARE ESSENTIAL FOR SOLVING PROBLEMS INVOLVING ANGLES AND SIDES OF TRIANGLES.

SOH CAH TOA

THIS MNEMONIC IS YOUR KEY TO UNDERSTANDING THE BASIC TRIGONOMETRIC RATIOS IN A RIGHT TRIANGLE.

- $\text{SIN} = \text{OPPOSITE} / \text{HYPOTENUSE}$
- $\text{COS} = \text{ADJACENT} / \text{HYPOTENUSE}$
- $\text{TAN} = \text{OPPOSITE} / \text{ADJACENT}$

THESE RELATIONSHIPS ALLOW YOU TO FIND UNKNOWN SIDE LENGTHS OR ANGLES WHEN YOU HAVE SUFFICIENT INFORMATION ABOUT A RIGHT TRIANGLE. REMEMBER THAT "OPPOSITE" AND "ADJACENT" ARE RELATIVE TO THE ANGLE YOU ARE CONSIDERING.

TRIGONOMETRIC IDENTITIES

YOU SHOULD BE FAMILIAR WITH A FEW FUNDAMENTAL TRIGONOMETRIC IDENTITIES. THE RECIPROCAL IDENTITIES ARE:

- $\csc(\theta) = \frac{1}{\sin(\theta)}$
- $\sec(\theta) = \frac{1}{\cos(\theta)}$
- $\cot(\theta) = \frac{1}{\tan(\theta)}$

THE QUOTIENT IDENTITIES ARE:

- $\tan(\theta) = \frac{\sin(\theta)}{\cos(\theta)}$
- $\cot(\theta) = \frac{\cos(\theta)}{\sin(\theta)}$

THE PYTHAGOREAN IDENTITY, $\sin^2(\theta) + \cos^2(\theta) = 1$, IS PERHAPS THE MOST IMPORTANT, AS IT RELATES SINE AND COSINE AND CAN BE USED TO SIMPLIFY MANY EXPRESSIONS.

ANGLES IN RADIANS

WHILE DEGREES ARE COMMON, SAT PROBLEMS MAY ALSO USE RADIANS TO MEASURE ANGLES. REMEMBER THAT π RADIANS IS EQUIVALENT TO 180 DEGREES. TO CONVERT FROM DEGREES TO RADIANS, MULTIPLY BY $\frac{\pi}{180}$. TO CONVERT FROM RADIANS TO DEGREES, MULTIPLY BY $\frac{180}{\pi}$. UNDERSTANDING RADIAN MEASURE IS CRUCIAL FOR WORKING WITH ARC LENGTHS AND SECTOR AREAS IN GEOMETRY AS WELL.

SPECIAL RIGHT TRIANGLES

MEMORIZING THE PROPERTIES OF 30-60-90 AND 45-45-90 TRIANGLES CAN SAVE YOU TIME AND EFFORT. IN A 30-60-90 TRIANGLE, THE SIDES ARE IN THE RATIO $x : x\sqrt{3} : 2x$, WHERE x IS THE LENGTH OF THE SIDE OPPOSITE THE 30-DEGREE ANGLE. IN A 45-45-90 TRIANGLE (AN ISOSCELES RIGHT TRIANGLE), THE SIDES ARE IN THE RATIO $x : x : x\sqrt{2}$. RECOGNIZING THESE PATTERNS WILL HELP YOU SOLVE PROBLEMS QUICKLY.

Q: WHAT ARE THE MOST FREQUENTLY TESTED SAT MATH FORMULAS?

A: THE MOST FREQUENTLY TESTED SAT MATH FORMULAS GENERALLY INCLUDE THOSE FOR LINEAR EQUATIONS (SLOPE-INTERCEPT FORM), QUADRATIC EQUATIONS (QUADRATIC FORMULA), AREA AND PERIMETER OF BASIC SHAPES (RECTANGLES, TRIANGLES, CIRCLES), THE PYTHAGOREAN THEOREM, AND BASIC PROBABILITY CALCULATIONS. UNDERSTANDING CONCEPTS LIKE MEAN, MEDIAN, AND RANGE ARE ALSO CRUCIAL.

Q: DO I NEED TO MEMORIZE EVERY SINGLE SAT MATH FORMULA?

A: WHILE MEMORIZATION IS IMPORTANT FOR CORE FORMULAS, A DEEPER UNDERSTANDING OF THEIR APPLICATION IS EVEN MORE CRITICAL. THE SAT OFTEN TESTS YOUR ABILITY TO APPLY FORMULAS IN NOVEL WAYS OR TO DERIVE THEM FROM GIVEN INFORMATION. FOCUS ON UNDERSTANDING THE CONCEPTS BEHIND THE FORMULAS.

Q: HOW CAN I EFFECTIVELY PRACTICE SAT MATH FORMULAS?

A: THE BEST WAY TO PRACTICE SAT MATH FORMULAS IS BY WORKING THROUGH OFFICIAL SAT PRACTICE TESTS AND PROBLEMS. AS YOU ENCOUNTER PROBLEMS, IDENTIFY WHICH FORMULAS ARE NEEDED AND TRY TO SOLVE THEM WITHOUT LOOKING AT THE FORMULA SHEET IMMEDIATELY. REVIEW YOUR MISTAKES AND REINFORCE YOUR UNDERSTANDING OF THE FORMULAS YOU STRUGGLED WITH.

Q: ARE THERE ANY FORMULAS PROVIDED ON THE SAT MATH TEST?

A: YES, THE SAT MATH TEST PROVIDES A REFERENCE SHEET WITH SOME BASIC FORMULAS AT THE BEGINNING OF THE MATH SECTIONS. THIS TYPICALLY INCLUDES FORMULAS FOR AREA, VOLUME, PYTHAGOREAN THEOREM, AND SOME PROPERTIES OF CIRCLES. HOWEVER, MANY IMPORTANT FORMULAS, ESPECIALLY IN ALGEBRA AND TRIGONOMETRY, ARE NOT PROVIDED AND MUST BE MEMORIZED.

Q: WHAT'S THE DIFFERENCE BETWEEN COMBINATIONS AND PERMUTATIONS, AND WHEN DO I USE THEM?

A: PERMUTATIONS ARE USED WHEN THE ORDER OF SELECTION MATTERS, MEANING $\{A, B\}$ IS DIFFERENT FROM $\{B, A\}$. COMBINATIONS ARE USED WHEN THE ORDER DOES NOT MATTER, MEANING $\{A, B\}$ IS THE SAME AS $\{B, A\}$. YOU USE PERMUTATIONS WHEN ARRANGING ITEMS IN A SPECIFIC SEQUENCE AND COMBINATIONS WHEN SELECTING A GROUP OF ITEMS WHERE THE ARRANGEMENT ISN'T IMPORTANT.

Q: HOW DO I APPROACH WORD PROBLEMS INVOLVING SAT MATH FORMULAS?

A: WHEN TACKLING WORD PROBLEMS, FIRST IDENTIFY WHAT THE PROBLEM IS ASKING YOU TO FIND. THEN, LOOK FOR KEYWORDS THAT INDICATE WHICH TYPE OF FORMULA OR CONCEPT IS RELEVANT. TRANSLATE THE WORDS INTO MATHEMATICAL EXPRESSIONS AND THEN APPLY THE APPROPRIATE FORMULA. DON'T FORGET TO REREAD THE PROBLEM TO ENSURE YOUR ANSWER MAKES SENSE IN THE CONTEXT.

Q: WHAT ARE RADIANs, AND WHY ARE THEY IMPORTANT FOR SAT MATH?

A: RADIANs ARE ANOTHER UNIT FOR MEASURING ANGLES, WITH π RADIANs EQUALING 180 DEGREES. THEY ARE IMPORTANT BECAUSE SOME SAT PROBLEMS, PARTICULARLY THOSE INVOLVING CIRCLES, ARC LENGTHS, AND SECTORS, MIGHT BE PRESENTED IN TERMS OF RADIANs. KNOWING HOW TO CONVERT BETWEEN DEGREES AND RADIANs IS ESSENTIAL.

Q: HOW CAN I IMPROVE MY SPEED IN SOLVING SAT MATH FORMULA-BASED QUESTIONS?

A: SPEED COMES WITH PRACTICE AND FAMILIARITY. THE MORE YOU USE THE FORMULAS, THE FASTER YOU'LL BE ABLE TO RECOGNIZE WHEN TO APPLY THEM AND PERFORM THE CALCULATIONS. PRACTICE TIMED SECTIONS TO GET A FEEL FOR THE PACING AND IDENTIFY AREAS WHERE YOU'RE SPENDING TOO MUCH TIME.

Q: ARE THERE ANY ADVANCED MATH FORMULAS I SHOULD KNOW FOR SAT MATH?

A: WHILE THE SAT GENERALLY FOCUSES ON FOUNDATIONAL MATH CONCEPTS, UNDERSTANDING COMPLEX NUMBERS AND SOME BASIC PROPERTIES OF LOGARITHMS CAN BE BENEFICIAL. HOWEVER, THE CORE FOCUS REMAINS ON ALGEBRA, GEOMETRY, AND DATA ANALYSIS. STICK TO MASTERING THE ESSENTIAL FORMULAS IN THESE AREAS FIRST.

Q: WHAT SHOULD I DO IF I FORGET A FORMULA DURING THE TEST?

A: IF YOU FORGET A FORMULA, FIRST CHECK THE PROVIDED FORMULA SHEET. IF IT'S NOT THERE, TRY TO RECALL IT BY THINKING ABOUT ITS DERIVATION OR RELATED CONCEPTS. SOMETIMES, YOU CAN EVEN RE-DERIVE A SIMPLE FORMULA FROM BASIC PRINCIPLES IF YOU HAVE ENOUGH TIME. HOWEVER, CONSISTENT PRACTICE IS THE BEST WAY TO ENSURE YOU DON'T FORGET CRITICAL FORMULAS.

[Sat Math Formulas](#)

Sat Math Formulas

Related Articles

- [saxon math algebra 1 table of contents](#)
- [solar eclipse math activity](#)
- [saxon math homeschool 6/5](#)

[Back to Home](#)